



# TEST PROTOCOL

Number / Date: RN6084 / 11.10.2016 г.

Test request No.: RN6084 / 28.09.2016 г.

Period of testing from 29.09.2016 г. to 07.10.2016 г.

Applicant:	Nutracorp Ltd.
Applicant address:	Sofia, 69 Lubliana Str.
Arrival of samples:	personally
Date sample presented:	28.09.2016 г.
Tested object:	Omega 3 1000 mg, L28005, 12/2018
Producer:	HAYA LABS LLC
Standarts and norm. documents:	ISO 16649-2:2001 E, BDS EN ISO 6579:2003/A1:2007, BDS EN ISO 12966-4:2015, BDS EN 15510:2007
Sample size:	2
Test performed by:	laboratory assistant Elena Kozleva, M Chem Ivan Givechev

Chief of TC GLOBALTEST: Dimitar Tanev, Eng.

Protocol compiled by: dipl. eng. Dimitar Tanev signature stamp

Test results are listed on pages 2 through 2  
NOTE: The test results pertain to the tested sample only. Excerpts and/or copies of the Test Protocol may not be made without the written consent of the test laboratory.

Valid only protocols with a "wet" seal or signed electronically.

The tested samples are not subject to return to the applicant due to the destructive nature of the tests performed.

## TEST RESULTS - Protocol RN6084 / 11.10.2016 г.

Characteristic	Method	Meas. un.	Norm	Result	Uncertainty	Measuring Conditions
Escherichia coli	ISO 16649-2:2001 E	cfu/g	Not set	<1x10 <sup>1</sup>	-	44.0± 0.1 °C
Salmonella spp	BDS EN ISO 6579:2003/A1:2007	cfu/25g	Not set	Not detected	-	37.0± 0.1 °C
Analysis of methyl esters of fatty acids	BDS EN ISO 12966-4:2015	%	Not set	DHA 122.42; EPA 181.38*	-	T - 22.1°C; RH - 42%
Cadmium (Cd)	BDS EN 15510:2007	mg/kg	Not set	<0.01	-	T - 22.1°C; RH - 42%
Lead (Pb)	BDS EN 15510:2007	mg/kg	Not set	<0.01	-	T - 22.1°C; RH - 42%
Mercury (Hg)	BDS EN 15510:2007	mg/kg	Not set	<0.01	-	T - 22.1°C; RH - 42%

\*The results are based on 1000 mg capsule content

Quality assurance Eng. Yana Georgieva